Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("6710786").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 08:28
L2	0	1 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:28
L3	0	1 and (mark adj3 up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:29
L4	1	1 and (language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:33
L5	4	CHEUNG-TOM-THUAN.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:36
L6	35	719/310.ccls. and (object with type with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:16
L7	141	719/315.ccls. and (object with type with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:37
L8	66	719/316.ccls. and (object with type with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:14
L9	573	(object with type with function with execut\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:15

L10	4	(object with type with function with execut\$ with requirement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:16
L11	126	707/103r.ccls. and (object with type with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:17
L12	0	709/200.ccls. and ((object with type with function) same xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:18
L13	0	707/103r.ccls. and ((object with type with function) same xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:18
L14	3	707/103r.ccls. and ((object with type with function) same markup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:19
L15	0	709/200.ccls. and ((object with type with function) same markup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:19
L16	2	709/203.ccls. and ((object with type with function) same markup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:19
S1	10	(("6385660") or ("6658625") or ("6138140") or ("6378001") or ("6253248")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖFF	2004/02/13 12:19
S2	2	("6003094").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 08:27

S3	0	(("6003094").PN.) and function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/31 16:13
S4	2	(("6003094").PN:) and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/31 17:32
S5	582	client with send with object with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/21 16:31
S6	76	client with send with object with server with function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/31 17:49
S7	1780	receive with object with function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/31 17:51
S8	129	receive with object adj2 function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/31 17:53
S9	25	receive with object with contain with function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/06 18:15
S10	59	client adj3 send adj2 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/06 15:41
S11	2	("5963945").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/06 15:41

S12	2	(("5963945").PN.) and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/06 15:41
S13	5141	(input with object) with function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/06 18:17
S14	134	(input adj1 object) with function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/06 18:17
S15	32	client adj1 send adj2 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/22 11:02
S16	3013	message adj2 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/22 11:03
S17	28	message adj2 contains adj1 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/22 11:09
S18	2	("6434622").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 11:09
S19	1	(("6434622").PN.) and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/22 11:14
S20	2	("6003094").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 11:14

S21	2	(("6003094").PN.) and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/22 11:15
522	6631	receive\$ adj1 object\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/04 16:48
S23	223	(receive\$ adj1 object\$) with function\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/04 16:48
S24	13	((receive\$ adj1 object\$) with function\$) same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/04 16:59
S25	142	object adj1 migration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/04 17:02
S26	106	(object adj1 migration) and function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/04 17:02
S27	56	(object adj1 migration) and function and execute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/04 17:10
S28	2	("6138140").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ÖR	OFF	2003/09/05 11:31
S29	2	("6138140").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/05 11:31

S30	1	(("6138140").PN.) and function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 11:33
S31	2	(("6138140").PN:) and execute\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 13:33
S32	1	(("6138140").PN.) and requirement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 14:59
S33	2	(("6138140").PN.) and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 12:48
S34	0	(("6138140").PN.) and verifi\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 13:27
S35	0	(("6138140"):PN:) and produce\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2003/09/05 13:41
S36	1	(("6138140").PN.) and return\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 13:56
S37	1628	thin adj1 client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 13:56
S38	192	(thin adj1 client) same object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 13:56
S39	40	(thin adj1 client) same object same function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 13:57

S40	0	(("6138140").PN.) and predefined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 15:00
S41	1	(("6138140").PN.) and handler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 15:01
S42	1	(("6138140").PN.) and pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 15:11
S43	0	(("6138140").PN:) and queue\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 15:20
S44	0	(("6138140").PN.) and resend	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/05 15:20
S45	20	verif\$ adj3 receive\$ adj3 object\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 15:30
S46	2	("6385660").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/13 12:18
S47	1	(("6385660").PN.) and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 13:26
S48	2	(("6385660").PN.) and verif\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 13:37

S49	1	(("6385660").PN.) and output\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 13:38
S50	159	produce\$ adj2 output adj2 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 15:32
S51	82	(produce\$ or producing) adj4 (output adj1 object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 15:43
S52	2	("6658625").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/12 15:36
S53	2	(("6658625").PN.) and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 16:44
S54	9457	(produce\$ or producing) adj2 (object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 15:44
S55	6	((produce\$ or producing) adj2 (object)) with (execute\$ adj3 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 15:46
S56	9	(execute\$ adj2 function) same (return\$ adj3 object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 16:04
S57	2	("6138140").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/12 15:54

S58	2	(("6138140").PN.) and execut\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 16:21
S59	12	(execute\$ adj2 function) same (generate\$ adj3 object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 16:10
S60	478	(execute\$ adj2 function) with (object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 16:16
S61	2	(("6138140").PN:) and (execut\$ same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 16:21
S62	2	(object adj1 in) same (object adj1 out)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/12 16:44
S63	69	check\$ adj4 (object adj1 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:36
S64	456	determin\$ adj4 (object adj1 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 12:29
S65	0	(determin\$ adj4 (object adj1 type)) with requirement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:36
S66	0	(determin\$ adj4 (object adj1 type)) same requirement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:36
S67	0	(determin\$ adj2 (object adj1 type)) same requirement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 11:01

S68	303	(determin\$ adj2 (object adj1 type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:47
S69	11	object adj3 (verifi\$ adj1 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:49
S70	49	object with (verifi\$ adj1 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:49
S71	0	object adj3 stisfi\$ adj2 requirement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 11:01
S72	158	object adj3 satisfi\$ adj2 requirement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 12:52
S73	663	determin\$ adj2 type adj2 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 12:37
S74	68	(determin\$ adj2 type adj2 object) same function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 12:30
S75	26	(determin\$ adj2 type adj2 object) and (object with verifi\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 12:34
S76	663	(determin\$ adj2 type adj2 object) and (verifi\$ wityh object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 12:34
S77	26	(determin\$ adj2 type adj2 object) and (verifi\$ with object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 12:34

S78	530	(determin\$ adj2 type adj2 object) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 12:38
S79	70	object adj2 satisfi\$ adj2 requirement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:39
S80	153	(object adj4 requirement) same execut\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 13:40
S81	0	check\$ adj4 applet adj3 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:44
S82	212	applet adj3 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:45
S83	82609	object adj3 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:45
S84	9758	object adj1 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:45
S85	3363	(object adj1 type) same (method or function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:35
S86	888	(object adj1 type) same ((method or function) with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:04
S87	665	identif\$ adj4 (object adj1 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:05

S88	484	identif\$ adj2 (object adj1 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 15:30
S89	14	(object adj1 type) same (method or function) same polymorphism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:12
S90	3	("6710786").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 16:12
S91	82609	S83 and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:13
S92	1	S90 and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:16
S93	1	S90 and function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:17